

Räderübersicht MJ '10

Baureihe 3 (E91 Standardantrieb)

Stand 08/09

Styling	Bezeichnung	BMW Bestellnummer/Bemerkung
Nr.		
12	7J x 16 EH2 Stahlrad	36 11 6 760 465
	7J x 16 EH2 Stahlrad	36 11 6 775 592 (Ausführung in EH/EH+)
	7J x 16 EH2+ Stahlrad	36 11 6 777 783 (Ausführung mit IS 31)
32N	7J x 16 EH2 LM-Gußrad	36 11 6 769 229
	8J x 17 EH2 LM-Gußrad	36 11 6 769 230
	7J x 16 EH2+ LM-Gußrad	36 11 6 775 615
	8J x 17 EH2+ LM-Gußrad	36 11 6 775 616
101	8J x 19 EH2+ LM-Gußrad	36 11 6 774 008
	9J x 19 EH2+ LM-Gußrad	36 11 6 774 009
152i	8J x 18 EH2 LM-Gußrad	36 11 7 906 987
	8½J x 18 EH2 LM-Gußrad	36 11 7 906 988
	8J x 18 EH2+ LM-Gußrad	36 11 8 036 931
	8½J x 18 EH2+ LM-Gußrad	36 11 8 036 932
154	7J x 16 EH2 LM-Gußrad	36 11 6 765 762
	7J x 16 EH2+ LM-Gußrad	36 11 6 775 593
155	7J x 16 EH2 LM-Gußrad	36 11 6 762 791
	7J x 16 EH2+ LM-Gußrad	36 11 6 775 594
156	7J x 16 EH2 LM-Gußrad	36 11 6 765 810
	7J x 16 EH2+ LM-Gußrad	36 11 6 775 595
158	8J x 17 EH2 LM-Gußrad	36 11 6 764 622
	8J x 17 EH2+ LM-Gußrad	36 11 6 775 596
159	8J x 17 EH2 LM-Gußrad	36 11 6 765 812
	8J x 17 EH2+ LM-Gußrad	36 11 6 775 597
160	8J x 17 EH2 LM-Gußrad	36 11 6 765 813
	8J x 17 EH2+ LM-Gußrad	36 11 6 775 598
161	8J x 17 EH2 LM-Gußrad	36 11 6 765 814
	8½J x 17 EH2 LM-Gußrad	36 11 6 765 815
	8J x 17 EH2+ LM-Gußrad	36 11 6 775 599
	8½J x 17 EH2+ LM-Gußrad	36 11 6 775 600
162	8J x 18 EH2 LM-Gußrad	36 11 6 765 816
	8½J x 18 EH2 LM-Gußrad	36 11 6 765 817
	8J x 18 EH2+ LM-Gußrad	36 11 6 775 601
	8½J x 18 EH2+ LM-Gußrad	36 11 6 775 602
179	8J x 19 EH2 LM-Rad (2-teilig)	36 11 6 769 568
	9J x 19 EH2 LM-Rad (2-teilig)	36 11 6 769 569
	8J x 19 EH2+ LM-Rad (2-teilig)	36 11 6 775 603
	9J x 19 EH2+ LM-Rad (2-teilig)	36 11 6 775 604
190	8J x 19 EH2+ LM-Schmiederad	36 11 6 768 970
	8J x 19 EH2+ LM-Gußrad	36 11 6 788 786 (schwarz)
	9J x 19 EH2+ LM-Schmiederad	36 11 6 768 971
	9J x 19 EH2+ LM-Gußrad	36 11 6 788 787 (schwarz)
193M	8J x 18 EH2 LM-Gußrad	36 11 7 836 333
	8½J x 18 EH2 LM-Gußrad	36 11 7 836 334
	8J x 18 EH2 LM-Gußrad	36 11 7 843 839 (ferric grey)
	8½J x 18 EH2 LM-Gußrad	36 11 7 843 841 (ferric grey)
	8J x 18 EH2+ LM-Gußrad	36 11 8 036 933
	8½J x 18 EH2+ LM-Gußrad	36 11 8 036 934
194M	8J x 17 EH2 LM-Gußrad	36 11 7 836 335
	8½J x 17 EH2 LM-Gußrad	36 11 7 836 336
	8J x 17 EH2+ LM-Gußrad	36 11 8 036 935
	8½J x 17 EH2+ LM-Gußrad	36 11 8 036 936

Zu verwendende Ventile siehe elektr. Teilekatalog (ETK) KOGR 36.

Räderübersicht MJ '10

Baureihe 3 (E91 Standardantrieb)

Stand 08/09

	8J x 18 EH2 LM-Gußrad	36 11 6 769 561
	8½J x 18 EH2 LM-Gußrad	36 11 6 769 563

195	8J x 18 EH2+ LM-Gußrad 8½J x 18 EH2+ LM-Gußrad	36 11 6 775 605 36 11 6 775 606
196	8J x 18 EH2 LM-Gußrad 8½J x 18 EH2 LM-Gußrad 8J x 18 EH2+ LM-Gußrad 8½J x 18 EH2+ LM-Gußrad	36 11 6 769 564 36 11 6 769 565 36 11 6 775 607 36 11 6 775 608
197	8J x 18 EH2 LM-Gußrad 8½J x 18 EH2 LM-Gußrad 8J x 18 EH2+ LM-Gußrad 8½J x 18 EH2+ LM-Gußrad	36 11 6 769 566 36 11 6 769 567 36 11 6 775 609 36 11 6 775 610
198	8J x 19 EH2+ LM-Gußrad 9J x 19 EH2+ LM-Gußrad	36 11 6 769 570 36 11 6 769 571
199	8J x 19 EH2 LM-Gußrad 9J x 19 EH2 LM-Gußrad 8J x 19 EH2+ LM-Gußrad 8J x 19 EH2+ LM-Gußrad 9J x 19 EH2+ LM-Gußrad 9J x 19 EH2+ LM-Gußrad	36 11 6 769 572 36 11 6 769 573 36 11 6 775 613 36 11 6 786 889 (schwarz) 36 11 6 775 614 36 11 6 786 890 (schwarz)
216	8J x 18 EH2+ LM-Gußrad 8½J x 18 EH2+ LM-Gußrad	36 11 6 770 464 36 11 6 770 465
268	7J x 16 EH2+ LM-Gußrad	36 11 6 780 907 (Ausführung mit IS 31)
269	8J x 19 EH2+ LM-Gußrad 9J x 19 EH2+ LM-Gußrad	36 11 6 781 046 36 11 6 781 047
282	7J x 16 EH2+ LM-Gußrad	36 11 6 783 628 (Ausführung mit IS 31)
283	7J x 16 EH2+ LM-Gußrad	36 11 6 783 629
284	8J x 17 EH2+ LM-Gußrad	36 11 6 783 630
285	8J x 17 EH2+ LM-Gußrad	36 11 6 783 631
286	8J x 17 EH2+ LM-Gußrad 8½J x 17 EH2+ LM-Gußrad	36 11 6 783 632 36 11 6 783 633 (Ausführung mit IS 39)
287	8J x 18 EH2+ LM-Gußrad 8½J x 18 EH2+ LM-Gußrad	36 11 6 783 634 36 11 6 783 635 (Ausführung mit IS 39)
306	7J x 16 EH2+ LM-Gußrad li 7J x 16 EH2+ LM-Gußrad re	36 11 6 795 805 (Ausführung mit IS 31) 36 11 6 795 806 (Ausführung mit IS 31)
311	8J x 19 EH2+ LM-Gußrad 8J x 19 EH2+ LM-Gußrad 9J x 19 EH2+ LM-Gußrad 9J x 19 EH2+ LM-Gußrad	36 11 6 787 641 36 11 6 787 642 (chrom) 36 11 6 787 643 36 11 6 787 644 (chrom)
313	8J x 19 EH2+ LM-Gußrad 9J x 19 EH2+ LM-Gußrad	36 11 6 787 647 36 11 6 787 648
338	8J x 17 EH2+ LM-Gußrad	36 11 6 791 478
339	8J x 17 EH2+ LM-Gußrad	36 11 6 791 479
360	7J x 16 EH2+ LM-Gußrad 7J x 16 EH2+ LM-Gußrad	36 11 6 793 675 (Ausführung mit IS 31) 36 11 6 794 932 (Ausführung mit IS 31)

Zu verwendende Ventile siehe elektr. Teilekatalog (ETK) KOGR 36.

Stylingabbildungen Räder:

Baureihe 3 (E91 Standardantrieb)

Stand 08/09

		
Styling 12	Styling 32N	Styling 101

		
Styling 152i	Styling 154	Styling 155
		
Styling 156	Styling 158	Styling 159
		
Styling 160	Styling 161	Styling 162

Stylingabbildungen Räder:

Baureihe 3 (E91 Standardantrieb)

Stand 08/09

		
Styling 179	Styling 190	Styling 193M

		
Styling 194M	Styling 195	Styling 196
		
Styling 197	Styling 198	Styling 199
		
Syling 216	Syling 268	Styling 269

Stylingabbildungen Räder:

Baureihe 3 (E91 Standardantrieb)

Stand 08/09

		
Styling 282	Styling 283	Styling 284



Styling 285



Styling 286



Styling 287



Styling 306



Styling 311



Styling 313



Styling 338



Styling 339



Styling 360