

Räderübersicht MJ '10

Baureihe 3 (E92 Standardantrieb)

Stand 09/09

Styling	Bezeichnung	BMW Bestellnummer/Bemerkung
Nr.		
12	7J x 16 EH2 Stahlrad	36 11 6 760 465
	7J x 16 EH2 Stahlrad	36 11 6 775 592 (Ausführung in EH/EH+)
	7J x 16 EH2+ Stahlrad	36 11 6 777 783 (Ausführung mit IS 31)
32N	7J x 16 EH2+ LM-Gußrad	36 11 6 775 615
	8J x 17 EH2+ LM-Gußrad	36 11 6 775 616
101	8J x 19 EH2+ LM-Gußrad	36 11 6 774 008
	9J x 19 EH2+ LM-Gußrad	36 11 6 774 009
152i	8J x 18 EH2+ LM-Gußrad	36 11 8 036 931
	8½J x 18 EH2+ LM-Gußrad	36 11 8 036 932
154	7J x 16 EH2+ LM-Gußrad	36 11 6 775 593
155	7J x 16 EH2+ LM-Gußrad	36 11 6 775 594
156	7J x 16 EH2+ LM-Gußrad	36 11 6 775 595
157	8J x 17 EH2+ LM-Schmiederad	36 11 6 770 239
179	8J x 19 EH2+ LM-Gußrad	36 11 6 775 603
	9J x 19 EH2+ LM-Gußrad	36 11 6 775 604
185	8J x 17 EH2+ LM-Gußrad	36 11 6 764 623
187	8J x 17 EH2+ LM-Gußrad	36 11 6 768 969
188	8J x 17 EH2+ LM-Gußrad	36 11 6 768 854
	8½J x 17 EH2+ LM-Gußrad	36 11 6 768 855
189	8J x 18 EH2+ LM-Gußrad	36 11 6 768 858
	8½J x 18 EH2+ LM-Gußrad	36 11 6 768 859
190	8J x 19 EH2+ LM-Schmiederad	36 11 6 768 970
	8J x 19 EH2+ LM-Gußrad	36 11 6 788 786 (schwarz)
	9J x 19 EH2+ LM-Schmiederad	36 11 6 768 971
	9J x 19 EH2+ LM-Gußrad	36 11 6 788 787 (schwarz)
193M	8J x 18 EH2+ LM-Gußrad	36 11 8 036 933
	8½J x 18 EH2+ LM-Gußrad	36 11 8 036 934
195	8J x 18 EH2+ LM-Gußrad	36 11 6 775 605
	8½J x 18 EH2+ LM-Gußrad	36 11 6 775 606
196	8J x 18 EH2+ LM-Gußrad	36 11 6 775 607
	8½J x 18 EH2+ LM-Gußrad	36 11 6 775 608
197	8J x 18 EH2+ LM-Gußrad	36 11 6 775 609
	8½J x 18 EH2+ LM-Gußrad	36 11 6 775 610
198	8J x 19 EH2+ LM-Gußrad	36 11 6 769 570
	9J x 19 EH2+ LM-Gußrad	36 11 6 769 571
199	7½J x 17 EH2+ LM-Gußrad	36 11 6 769 371
	8J x 19 EH2+ LM-Gußrad	36 11 6 775 613
	9J x 19 EH2+ LM-Gußrad	36 11 6 775 614
216	8J x 18 EH2+ LM-Gußrad	36 11 6 770 464
	8½J x 18 EH2+ LM-Gußrad	36 11 6 770 465
225M	8J x 19 EH2+ LM-Gußrad	36 11 8 037 141
	9J x 19 EH2+ LM-Gußrad	36 11 8 037 142
228i	8J x 19 EH2+ LM-Gußrad	36 11 8 037 351
	9J x 19 EH2+ LM-Gußrad	36 11 8 037 352
230	8J x 19 EH2+ ZB-LM-Rad	36 11 6 774 724
	8J x 19 EH2+ LM-Gußrad	36 11 6 779 658 (verstärkt mit breitem Tiefbett; Ersatz für 6 785 002)
	9J x 19 EH2+ ZB-LM-Rad	36 11 6 774 725
	9J x 19 EH2+ LM-Gußrad	36 11 6 779 659 (verstärkt mit breitem Tiefbett; Ersatz für 6 785 003)
268	7J x 16 EH2+ LM-Gußrad	36 11 6 780 907 (Ausführung mit IS 31)

Räderübersicht MJ '10

Baureihe 3 (E92 Standardantrieb)

Stand 09/09

282	7J x 16 EH2+ LM-Gußrad	36 11 6 783 628 (Ausführung mit IS 31)
-----	------------------------	--

286	8J x 17 EH2+ LM-Gußrad 8½J x 17 EH2+ LM-Gußrad	36 11 6 783 632 36 11 6 783 633 (Ausführung mit IS 39)
287	8J x 18 EH2+ LM-Gußrad 8½J x 18 EH2+ LM-Gußrad	36 11 6 783 634 36 11 6 783 635 (Ausführung mit IS 39)
313	8J x 18 EH2+ LM-Gußrad 8½J x 18 EH2+ LM-Gußrad	36 11 6 791 998 36 11 6 791 999
338	8J x 17 EH2+ LM-Gußrad	36 11 6 791 478
339	8J x 17 EH2+ LM-Gußrad	36 11 6 791 479
340	8J x 17 EH2+ LM-Gußrad 8½J x 17 EH2+ LM-Gußrad	36 11 6 791 480 36 11 6 791 481
341	8J x 18 EH2+ LM-Gußrad 8½J x 18 EH2+ LM-Gußrad	36 11 6 791 482 36 11 6 791 483
342	8J x 18 EH2+ LM-Gußrad 8½J x 18 EH2+ LM-Gußrad	36 11 6 791 484 36 11 6 791 485
360	7J x 16 EH2+ LM-Gußrad 7J x 16 EH2+ LM-Gußrad	36 11 6 793 675 (Ausführung mit IS 31) 36 11 6 794 932 (Ausführung mit IS 31)

Zu verwendende Ventile siehe elektr. Teilekatalog (ETK) KOGR 36.

Stylingabbildungen Räder:

Baureihe 3 (E92 Standardantrieb)

Stand 09/09

		
Styling 12	Styling 32N	Styling 101
		
Styling 152i	Styling 154	Styling 155
		
Styling 156	Styling 157	Styling 179



Styling 185



Styling 187



Styling 188

Stylingabbildungen Räder:

Baureihe 3 (E92 Standardantrieb)

Stand 09/09



Styling 189



Styling 190



Styling 193M



Styling 195



Styling 196



Styling 198



Styling 199



Styling 199



Styling 216

		
Styling 225M	Styling 228i	Styling 230

Stylingabbildungen Räder:

Baureihe 3 (E92 Standardantrieb)

Stand 09/09

		
Syling 268	Styling 282	Styling 286
		
Styling 287	Styling 313	Styling 338
		Stylingbild z.Z. nicht verfügbar
Styling 339	Styling 340	Styling 341



Styling 342



Styling 360